

# HALT<sup>2</sup>COVID<sup>2</sup>

**ENG** 







# Premium HALTCOVID<sup>2</sup>



# Basic HALTCOVID<sup>2</sup>

BASIC - DESK BARRIER	pag. 20
BASIC - COUNTER BARRIER	pag. 22
BASIC - FOLDING GROUND BARRIER	pag. 24

1

# HALT COVID

HALT COVID is the line of protective barriers and partitions in glass or crilex/plexiglass and aluminum to protect workplaces, shops and offices open to the public.

Our products offer different solutions in terms of size and style in order to meet both the needs of protection and aesthetics.

They find their ideal application in the workplace and in any type of space in contact with the public, open spaces to dining halls, pharmacies to restaurants, hotel receptions to shops of all kinds.

We believe that our products can satisfy many situations, but if you need a customized solution or for large quantities, please contact us.

## **Advantages**



100% ITALIAN MATERIAL AND MANUFACTURE



THE USE OF THE DEVICE IS NOT AN ALTERNATIVE TO WHAT IS MENTIONED BY THE GOVERNMENTAL DIRECTIVES ON THE PREVENTION OF CONTAGION.

#### WHERE TO USE HALT COVID PANELS

Companies that are securing their work environments. Any office where there is contact with the public. Commercial establishments and any type of environment where, out of necessity, people are at close range. In all those contexts the HALT COVID barriers are useful.





















#### **Characteristics of the barriers**

The panels are made of aluminum uprights and glass or crilex panels.


**Glass:** transparency and aesthetic appearance. Easily sanitized with alcohol products.

**Crilex/plexiglass:** glassy solid with high transparency, lightness and bright surface. Easy to clean with a soft cloth and neutral soap or alcoholic solutions.

## What can you choose?

Dimensions of the model
Panels material
Profile finishing
Price based on quantities

## How to compose the item code




The prices indicated in the respective tables are net of any discounts, prizes and contributions. They do not participate in the achievement of commercial objectives. Returns are not accepted.

## Finishing profiles


Aluminum



# Finishing panels



## **Special**



We can make any customized project. In case of special measures or special colors it is easy to make the price. Just take the highest price of the item and add 30%.

Do you want to have your barriers perfectly suited to a particular space? You can do it with us.

#### Finishing special






# **LUXURY**PAPER HAND PASS BARRIER

#### **DESCRIPTION**

- Protective barrier and glass partition panel can be positioned on flat surfaces
- With opening for documents / goods
- ✓ Transparent, self-supporting
- Tempered glass 6 mm thick.

#### **IDEAL FOR**

- desks
- Customer service counters
- **✓** Reception



#### **DIMENSIONS**

**A:** 800/900/1000 mm

**B:** 700 mm



ltem	A [mm]	B [mm]	Thicknes panel [mm]	Finishing panel	Unit net price* [€] Finishing profile ULU - ELO	Net price <b>3 pc.</b> for item. [€]  Finishing profile  ULU - ELO
I-FC2080	800	700	6	TR	240,00	180,00
I-FC2090	900	700	6	TR	260,00	195,00
I-FC2010	1000	700	6	TR	280,00**	210,00**

Fini	shing profile		Finishing panel	
ULU:	Polished chrome	TR: Trasparent glass		
ELO:	Gold aluminum			

Special measures						
Width	Min. 800 mm. Max. 1300 mm.					
Height	Min. 400 mm. Max. 900 mm.					

<sup>\*</sup> See note pag. 4

<sup>\*\*</sup> Special +30%




#### **LUXURY** Entire barrier

#### **DESCRIPTION**

- Protective barrier and glass partition panel that can be positioned on flat surfaces
- ✓ Transparent, self-supporting
- Tempered glass 6 mm thick.

#### **IDEAL FOR**


- Desks
- Customer service counters
- Reception



#### **DIMENSIONS**

**A:** 800/900/1000 mm

**B:** 700 mm



ltem	A [mm]	B [mm]	Thicknes panel [mm]	Finishing panel	Unit net price* [€] Finishing profile ULU - ELO	Net price <b>3 pc.</b> for item. [€] Finishing profile ULU - ELO
I-FC2580	800	700	6	TR	210,00	158,00
I-FC2590	900	700	6	TR	230,00	173,00
I-FC2510	1000	700	6	TR	250,00**	188,00**

Finis	shing profile		Finishing panel	
ULU:	Polished chrome	TR: Trasparent glass		
ELO:	Gold aluminum			

Special measures						
Width Min. 300 mm. Max. 1300 mm.						
Height	Min. 400 mm. Max. 900 mm.					

<sup>\*</sup> See note pag. 4

<sup>\*\*</sup> Special +30%




# **OFFICE**DESK BARRIER

#### **DESCRIPTION**

- Protective barrier and glass partition panel that can be positioned on flat surfaces
- ✓ Transparent, self-supporting
- Tempered glass 6 mm thick.

#### **IDEAL FOR**

- Desks
- Tables
- Reception
- As a front and side separator




#### **DIMENSIONS**

**A:** 800/1000/1200/1400 mm

**B:** 700 mm







ltem	A [mm]	B [mm]	Thicknes panel [mm]	Finishing panel	Unit net price* [€] Finishing profile L91 - L96	Net price <b>3 pc.</b> for item. [€]  Finishing profile  L91 - L96
I-FC0308	800	700	6	TR	139,00	85,00
I-FC0310	1000	700	6	TR	149,00	105,00
I-FC0312	1200	700	6	TR	199,00	125,00
I-FC0314	1400	700	6	TR	229,00**	145,00**

Finis	shing profile		Finishing panel	
L91:	Matt white	TR: Trasparent glass		
L96:	Matt black			

Special measures					
Width	Min. 300 mm. Max. 1500 mm.				
Height	Min. 400 mm. Max. 900 mm.				

<sup>\*</sup> See note pag. 4

<sup>\*\*</sup> Special +30%




# **OFFICE**GROUND BARRIER

#### **DESCRIPTION**

- Protective barrier and dividing panel in acrylic that can be positioned on flat surfaces
- Light, transparent, unbreakable, self-supporting
- Plexiglass thickness 5 mm.

#### **IDEAL FOR**

- **✓** Reception
- Division of areas and accesses
- Separators for restaurants
- **✓** Tables



#### **DIMENSIONS**

**A:** 900/1200 mm

**B:** 1895 mm




ltem	A [mm]	B [mm]	Thicknes panel [mm]	Finishing panel	Unit net price* [€] Finishing profile L91 - L96	Net price <b>3 pc.</b> for item. [€]  Finishing profile  L91 - L96
I-FC0109	900	1895	5	С	166,00	100,00
I-FC0112	1200	1895	5	С	176,00**	106,00**

Finis	shing profile		Finishing panel
L91:	Matt white	C:	Polistyrene
L96:	Matt black		

Special measures				
Width	Min. 300 mm. Max. 1500 mm.			
Height	Min. 150 0mm. Max. 2000 mm.			

<sup>\*</sup> See note pag. 4

<sup>\*\*</sup> Special +30%




# **OFFICE**COUNTER BARRIER

#### **DESCRIPTION**

- Protective barrier and dividing panel in crilex/plexiglass and glass that can be positioned on flat surfaces
- With opening pass documents / goods
- ✓ Transparent, unbreakable,
- Tempered glass 6 mm thick. or Plexiglass 5 mm thick.

#### **IDEAL FOR**


- Desks
- Work counters
- Customer service counters
- **✓** Reception



#### **DIMENSIONS**

**A:** 860/1060/1260/1460 mm

**B:** 700 mm




ltem	A [mm]	B [mm]	Thicknes panel [mm]	Finishing panel	Unit net price* [€] Finishing profile L91 - L96	Net price <b>3 pc.</b> for item. [€]  Finishing profile  L91 - L96
I-FC0208	860	860 700		TR	114,00	69,00
1-1-60206	000	700	5	С	99,00	60,00
I-FC0210	1060	700	6	TR	121,00	73,00
1-FG0210			5	С	105,00	63,00
I-FC0212	1260	1260 700	6	TR	132,00	79,00
1-FG0212	1200		5	С	115,00	69,00
I-FC0214	1460	700	6	TR	141,00**	85,00**
			5	С	123,00**	74,00**

Finishing profile			Finishing panel	
L91:	Matt white	TR: Trasparent glass		
L96:	Matt black	C:	Polistyrene	

Special measures				
Width	Min. 300 mm. Max. 160 0mm.			
Height	Min. 400 mm. Max. 900 mm.			

<sup>\*</sup> See note pag. 4

<sup>\*\*</sup> Special +30%




# **COOKHOUSE**FOOD/DISH PASS BARRIER

#### **DESCRIPTION**

- Protective barrier and dividing panel in acrylic that can be positioned on flat surfaces
- With opening serving hatch
- Light, transparent, unbreakable, self-supporting
- Plexiglass thickness 5 mm.

#### **IDEAL FOR**

- Desks
- Work counters
- Customer service counters
- Reception
- Bar Restaurant



#### **DIMENSIONS**

**A:** 860/1060/1260/1460 mm

**B:** 700 mm




ltem	A [mm]	B [mm]	Thicknes panel [mm]	Finishing panel	Unit net price* [€] Finishing profile L91 - L96	Net price <b>3 pc.</b> for item. [€]  Finishing profile  L91 - L96
I-FC0408	860	700	5	C 129,00		73,00
I-FC0410	1060	700	5	С	139,00	77,00
I-FC0412	1260	700	5	С	149,00	84,00
I-FC0414	1460	700	5	С	159,00**	90,00**

Finishing profile			Finishing panel		
L91:	Matt white	C: Polistyrene			
L96:	Matt black				

Special measures					
Width	Min. 860 mm. Max. 1600 mm.				
Height	Min. 600 mm. Max. 900 mm.				

<sup>\*</sup> See note pag. 4

<sup>\*\*</sup> Special +30%




# **COOKHOUSE**4 PLACES

#### **DESCRIPTION**

- Protective barrier and dividing panel in acrylic that can be positioned on flat surfaces
- Light, transparent, unbreakable, selfsupporting
- ✓ Plexiglass thickness 5 mm.
- ✓ Divides the table space up to four guests

#### **IDEAL FOR**

- Desks
- **✓** Workcounters
- Canteens
- Restaurants
- **❤** Schools




#### **DIMENSIONS**

**A:** 860 mm

**B:** 600 mm


**C:** 1400 mm




ltem	A [mm]	B [mm]	C [mm]	Thicknes panel [mm]	Unit net price* [€]	Net price <b>3 pc.</b> for item. [€]
I-FC0500C	800	600	1400	5	239,00	140,00

#### There are no specials possible

\* See note pag. 4





# **BASIC**DESK BARRIER

#### **DESCRIPTION**

- Protective barrier and dividing panel in acrylic that can be positioned on flat surfaces.
- With document / merchandise opening.
- Light, transparent, unbreakable, self-supporting.
- Without screws, adhesives or other fixing
- systems. Adjustable in height
- Plexiglass thickness 5 mm.

#### **IDEAL FOR**

- ✓ Deks
- ✓ Workcounters
- Customer service counters
- **✓** Reception


# A O

#### **DIMENSIONS**

**A:** 800/1000 mm

**B:** 500/650 mm

**C:** 550/700 mm






ltem	A [mm]	B [mm]	C [mm]	Thicknes panel [mm]	Unit net price* [€]	Net price <b>25 pc.</b> for item. [€]	Net price <b>50 pc.</b> for item. [€]
I-FC5080CTR	800	500	550	5	59,00	34,00	29,00
I-FC6580CTR	800	650	700	5	61,00	39,00	34,00
I-FC6510CTR	1000	650	700	5	61,00	39,00	34,00

Maximum shipping times	1 week

There are no specials possible

\* See note pag. 4




# **BASIC**COUNTER BARRIER

#### **DESCRIPTION**

- Rotective barrier and dividing panel in acrylic that can be positioned on flat surfaces
- With opening for documents / goods
- Light, transparent, unbreakable, selfsupporting
- ✓ Plexiglass 3 mm thick.

#### **IDEAL FOR**

- Deks
- Workcounters
- Customer service counters
- **Reception**



#### **DIMENSIONS**

**A:** 850/1200 mm

**B:** 700/1000 mm








ltem	A [mm]	B [mm]	C [mm]	Thicknes panel [mm]	Unit net price* [€]	Net price <b>7 pc.</b> for item. [€]	Net price <b>15 pc.</b> for item. [€]
I-FC7085CTRL1	850	700	/	3	61,00	36,00	34,00
I-FC7012CTRL1	1200	700	/	3	67,00	40,00	36,00
I-FC1085CTRL1	850	1000	/	3	69,00	44,00	40,00
I-FC1012CTRL1	1200	1000	/	3	73,00	46,00	43,00

There are no specials possible

<sup>\*</sup> See note pag. 4




# **BASIC**FOLDING GROUND BARRIER

#### **DESCRIPTION**

- Protective barrier and dividing panel in acrylic that can be positioned on flat surfaces
- Light, transparent, unbreakable, selfsupporting
- Plexiglass 3 mm thick.
- **✓** Foldable

#### **IDEAL FOR**

- Reception
- Division of areas and accesses



#### **DIMENSIONS**

**A:** 1200 mm

**B:** 1822 mm







ltem	A [mm]	B [mm]	C [mm]	Thicknes panel [mm]	Unit net price* [€]	Net price <b>3 pc.</b> for item. [€]	Net price <b>6 pc.</b> for item. [€]
I-FC1812CTRL1	1200	1822	/	3	170,00	125,00	115,00

Maximum shipping times	1 week

There are no specials possible

\* See note pag. 4

# HALT<sup>2</sup>COVID<sup>2</sup>



INDA S.p.A. - they exclusively reserve the rights to modify the dimensions, technical characteristics, design of its products, without notice.

All dimensions are indicative and may vary in accordance with European standards.